

Specimen Label

Rejex-It®

Fog Force™

Bird Repellent

Active ingredient:

Methyl Anthranilate (MA), methyl 2-aminobenzoate	40.0%
Other ingredients	60.0%
Total	100.0%

This product contains 3.16 pounds of Methyl Anthranilate per gallon of product.

Rejex-it Fog Force has been formulated from Food Grade Ingredients with an active ingredient that exceeds US Food Chemical Codes (FCC) specifications.

Net contents: 5 Gallons (18.93 liters)

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes or clothing. When handling, wear safety glasses. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, to areas when surface water is present, or to intertidal areas below the mean high water mark. This pesticide is slightly toxic to fish and aquatic invertebrates.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOGGING APPLICATIONS

USE RESTRICTIONS: This product may be used indoors and outdoors to repel nuisance birds such as starlings, blackbirds, cowbirds, gulls, Canada geese, mallards, and other birds that have become a nuisance or health hazard in the target area.

Hold the fog generator at least 5 feet from any object, painted surface, and especially plants and shrubbery to avoid discoloration from direct contact with concentrated Rejex-it Fog Force or the heat when using

thermal foggers. Do not smoke while applying this product. Minimize direct exposure to humans, pets, domestic animals, or non-target wildlife.

INDOOR FOGGING APPLICATIONS (Warehouses, hangers, garages, assembly plants, etc.)

Apply Rejex-it Fog Force undiluted at a rate not to exceed one (1) ounce per 10,000 cubic feet of space to be treated. Point fog generator in the general direction of the nuisance birds, keeping the fog generator at least 5 feet from any structure or object to allow for complete dissipation of the fog. Expose as many birds as possible to the fog for fast and lasting results. Best product performance is achieved with a dry fog. Consult the fog generator owner's manual for proper settings to assure a dry fog. Both ULV and thermal foggers may be used to apply this product. Several treatments, 1 to 4 days apart may be required for removal of all nuisance birds.

For automated fogging applications, point the fogger in the direction of the birds or their expected approach. Set the fog generator for 10 - 30 second fogging pulses during the time of expected bird activity.

OUTDOOR FOGGING APPLICATIONS:

General Application Directions: Apply Rejex-it Fog Force undiluted at a rate of 6 - 8 ounces per acre (43,500 sq ft) of area to be treated. Point the fog generator in the general direction of the nuisance birds, keeping the fog generator at least 5 feet from any structure or object to allow for complete dissipation of the fog. Best product performance is achieved with a dry fog. Consult the fog generator owner's manual for proper settings to assure a dry fog. Both ULV and thermal foggers may be used to apply this product. Several treatments, 1 to 4 days apart may be required for removal of all nuisance birds.

For automated fogging applications, point the fogger in the direction of the birds or their expected approach. Set the fog generator for 10 - 30 second fogging pulses during the time of expected bird activity.

ELECTRICAL SUBSTATIONS

Apply Rejex-it Fog Force undiluted using a thermal or mechanical fog generator that will deliver a dry fog with a droplet size within the aerosol size range (below 30 microns). Expose as many birds as possible to the fog for fast and lasting results. Fog Force fog should be applied when birds have settled down or are roosting in the structure and/or wires of the substation. Withhold treatment until conditions favoring successful use arise (temperature, direction, and speed of wind) to be able to cover all the infested structure. For best results, make applications in the evening, when most of the birds have arrived, but before it gets too dark for the birds to leave once exposed to the fog.

STRUCTURES AND BUILDINGS

Apply Rejex-it Fog Force undiluted using a thermal or mechanical fog generator that will deliver a dry fog with a droplet size within the aerosol size range (below 30 microns) that stay suspended and do not settle to the ground. Expose as many birds as possible to the fog for fast and lasting results. Fog Force fog should be applied when birds have settled down. Withhold treatment until conditions favoring successful use arise (temperature, direction, and speed of wind) to be able to reach all parts of the structure where birds are roosting. For best results, make applications in the evening, when most of the birds have arrived, but before it gets too dark for the birds to leave once exposed to the fog.

TREES AND SHRUBS

Apply Rejex-it Fog Force undiluted using a thermal or mechanical fog generator that will deliver a dry fog with a droplet size below 20 microns that will penetrate the foliage without wetting it. Expose as many birds as possible to the fog for fast and lasting results. Fog Force fog should be applied when birds have

settled down. Withhold treatment until conditions favoring successful use arise (temperature, direction, and speed of wind). For best results, make applications in the evening, when most of the birds have arrived, but before it gets too dark for the birds to leave once exposed to the fog. Application in the morning when the birds normally leave does not have much effect.

AIRPORTS AND OTHER OPEN AREAS

Apply Rejex-it Fog Force undiluted using a thermal or mechanical fog generator that will deliver a dry fog with a droplet size within the aerosol size range (below 30 microns) that stay suspended and do not settle to the ground. Set fogger upwind so that the wind will carry the fog in the general direction of the birds. Stop application once the birds have left the area. The best time for application depends on the bird species and the time of year.

TURF (Golf courses, lawns, sports fields, parks, etc.)

Apply Rejex-it Fog Force undiluted using a thermal or mechanical fog generator that will deliver a dry fog with a droplet size within the aerosol size range (below 30 microns) that stay suspended and do not settle to the ground. Set fogger upwind so that the wind will carry the fog in the general direction of the birds. Applications may be done at any time of the day when birds are present. To control Canada geese, apply at any time when they are feeding or roosting, except when they sit on a nest during breeding season.

LAKES AND PONDS

Apply Rejex-it Fog Force undiluted using a thermal fog generator that will deliver a dry fog with a droplet size below 20 microns that will stay suspended and does not settle on the water surface. Set fogger upwind so that the wind will carry the fog in the general direction of the birds. Applications should be done as soon as birds arrive.

HARBORS AND BOAT DOCKS

Apply Rejex-it Fog Force undiluted using a thermal fog generator that will deliver a dry fog with a droplet size below 20 microns that will stay suspended and does not settle on the water surface. Set fogger upwind so that the wind will carry the fog in the general direction of the birds. For roosting birds, best applied in the evening when most of the birds have arrived but before it gets too dark for the birds to leave.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals. Store apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor. Keep container closed when not in use.

REPELLENT DISPOSAL: Avian Aversion Agent, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedure approved by State and local authorities.

WARRANTY

NOTICE: Ceannard, Inc., makes no express or implied warranties of fitness or merchantability or any other kind whatsoever, except that the product conforms to the specifications on the label. Ceannard, Inc.'s sole liability on the warranty is limited, at Ceannard's option to replacement of the defective product or return of the purchase price paid for the defective product. Under no circumstances shall Ceannard, Inc., be liable for incidental, consequential or special damages. The buyer assumes all risks and liability resulting from the use of this product, whether used singly or in combination with other goods. Ceannard, Inc., neither assumes, nor authorizes any person to assume for it, any other liability in connection with the sale or use of this product.

Ceannard Inc.

Post Office Box 2404

Gastonia, NC 28053