


Lemon Scented



ACTIVE INGREDIENTS:

Octyl decyl dimethyl
ammonium chloride.....0.54%
Dioctyl dimethyl
ammonium chloride.....0.27%
Didecyl dimethyl
ammonium chloride.....0.27%
AkyL (C14, 50%; C12, 40%; C16, 10%)
dimethyl benzyl
ammonium chloride.....0.72%
INERT INGREDIENTS..... 98.20%

EPA EST. NO. 6269-CA-1
EPA REG NO. 6269-6

SANISOL™

CONCENTRATED

**CLEANER • DISINFECTANT
ODOR NEUTRALIZER**

**KEEP OUT
OF REACH
OF CHILDREN
DANGER**

*SEE SIDE
PANEL FOR
ADDITIONAL
PRECAUTIONARY
STATEMENTS*

DANGER: KEEP OUT OF REACH OF CHILDREN



NET CONTENTS: ONE GALLON – 3.785 LITERS.

MISSION KLEENSWEEP PRODUCTS, INC.

SANISOL is a concentrated industrial cleaner which disinfects as it cleans. A single application removes dirt and grime, disinfects, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors. **SANISOL** will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

SANISOL is effective against Trichophyton Mentagrophytes (athlete's foot fungus) when used in areas such as locker rooms, shower and bath areas, exercise areas, dressing rooms, etc.

SANISOL is prescribed for use in schools, industry, and non-medical institutions.

SANISOL is effective against the following viruses; influenza A/Brazil, Herpes Simplex type 1 and Vaccinia on inanimate environmental surfaces. **SANISOL** is effective against a broad spectrum of gram negative and positive organisms as presented by

Escherichia coli	Salmonella typhi
Salmonella choleraesuis	Klebsiella pneumoniae
Staphylococcus aureus	Salmonella schottmuelleri
Streptococcus pyogenes	Shigella dysenteriae
Serratia marcescens	Brevibacterium ammoniagenes

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use 2 ounces of **SANISOL** per gallon of water. Treated surfaces must remain wet for 10 minutes. Apply **SANISOL** to walls, floors and other hard non-porous surfaces such as tables, chairs, countertops, sinks and toilets with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

MOLD AND MILDEW CONTROL: At 2 oz. per gallon **SANISOL** will effectively inhibit the growth of mold and mildew and the odor caused by them when applied to hard, non-porous surfaces. Allows to dry on surface and repeat when mildew growth returns.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

Keep out of the reach of children. Corrosive. Causes eye and skin damage. Do not get into eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, or gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL

Do Not contaminate water, food, or feed by storage or disposal.

Do Not store on side. Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.